Measurements in order to approve 2.4OD boats built BEFORE 2011-03-01

Builder: Build date:

ISAF Plaque Number: Norlin OD Number:

Please, observe that it is necessary to present a valid 2.4mR Certificate in order to get a 2.4 Norlin One Design certificate.

Item #	Rule	Item to be checked	Requirements	Measurement result	Comments
		Hull			
1	K.1.1	Building year	Before 2011-03-01	Year	•
2	K.1.3	Hull Certificate	Valid 2.4mR certificate	(Yes/No)	
3	D.2.4(e)	Hull outside alteration	The hull shape must not be altered	(Yes/No)	
4	D.2.4(c)	Holes in hull and deck	According to rule	(Yes/No)	
5	D.2.4(e)	Repair of hull	According to rule	(Yes/No)	
6	D.2.5(a)	Hull datum section	Marked on deck and sheer line	(Yes/No)	
		ISAF Plaque or Scandinavian			
7	D.2.6(a)	Sailing Federation Plaque	Placed in the cockpit	(Yes/No)	
8	D.2.6(b)	2.4 NOD Class sticker	Placed in the cockpit	(Yes/No)	
9	N/A			(Yes/No)	
10	N/A			(Yes/No)	
11	C.6.1(a)	Boat weight, incl sails	Weight 253 - 254kg	kg	
12	C.6.1(b)	Balance point (C of G)	Distance fr sect 0 1343-1371mm	mm	
13	D.5.1(a)	Buoyancy material	Non-com. Air cell foam plastic	(Yes/No)	
14	D.5.1(b)	Watertight Compartments	Shall be inspectable	(Yes/No)	
15	D.7.1(a)	Mandatory fittings	All fittings installed	(Yes/No)	
16	D.7.1(a)(5)	Foretriangle base	Fitting or devise installed	mm	
17	D.7.1(c)(1)	Fitting on outside of hull	No fittings permitted on outside	(Yes/No)	
18	C.8.3(a)	Kind of rudder	Small rudder permitted	Small / Large	
19	C.9.9(a)	Adjustable shrouds	According to rule	(Yes/No)	
		Ballast			
30	C.7.3(b)	Ballast	Weight ≤ 181kg incl battery	kg	
31	C.7.3(b)	Ballast	Is Battery included in ballast?	(Yes/No)	
32	D.8.3	Internal ballast	According to D.8.3 (a)(b)(c)	(Yes/No)	
33	C.6.2	Corrector Weights		(Yes/No)	

Date and place of measurement:

www.inter24metre.org

Measurements in order to approve 2.4OD boats built BEFORE 2011-03-01

Builder: Build date:

ISAF Plaque Number: Norlin OD Number:

Please, observe that it is necessary to present a valid 2.4mR Certificate in order to get a 2.4 Norlin One Design certificate.

Item #	Rule	Item to be checked	Requirements	Measurement result	Comments		
	K.3	Checking against templates					
40	Hull	Vertical section 0	clearance 2 -4mm	(Yes/No)			
41	Hull	Vertical section 2	clearance 2 -4mm	(Yes/No)			
42	Hull	Vertical section 4	clearance 2 -4mm	(Yes/No)			
43	Stern	100mm part in centre	clearance 0 -2mm	(Yes/No)			
44	Keel	Vertical section 2	clearance 1 -4mm	(Yes/No)			
45	Keel	Horiz sect 75mm b BL	clearance 1 -5mm	(Yes/No)			
46	Keel	Horiz sect 400mm b BL	clearance 2 -5mm	(Yes/No)			
47	Keel	Trailing edge	clearance 0-1mm	(Yes/No)			
48	Rudder	Standard, profile	clearance 1 -5mm	(Yes/No)			
49	Rudder	Standard, section 1	clearance 2-5mm	(Yes/No)			
50	Rudder	Standard, section 2	clearance 2-5mm	(Yes/No)			
51	Rudder	Standard, section 3	clearance 2-5mm	(Yes/No)			
52	Rudder	Small, profile	clearance 1 -5mm	(Yes/No)			
53	Rudder	Small, section 1	clearance 0 -2mm	(Yes/No)			
54	Rudder	Small, section 2	clearance 0 -2mm	(Yes/No)			
55	Rudder	Trailing edge	clearance 0 - 1mm	(Yes/No)			
Additional checks of dimensions given on drawing nr J1, J2, J5, J6							
60	Hull	Over all length	4175 <u>< / </u> < 4183mm	mm			
61	Hull	Beam section 0	536 <u><</u> / <u><</u> 542mm	mm			
62	Hull	Beam section 2	800 <u>< </u> / <u><</u> 808mm	mm			
63	Hull	Beam section 4	302 <u>< </u> / <u><</u> 309mm	mm			
64	Hull	Aft end to section 0	645 <u>< </u> / <u><</u> 651mm	mm			
65	Deck	Mast hole to sect 0	<i>I</i> <u><</u> 2093mm	mm			
66	Deck	Shroud hole to sect 0	1812 <u>< / </u> < 1982mm	mm			
67	Deck	Shroud hole to Centre L	230 <u><</u> / <u><</u> 280mm	mm			
68	Deck	Stem to forestayextension	intersect w deck 0 ≤ / ≤ 80mm	mm			
69	Keel	Girth around keel	<u><</u> 2752mm	mm			

Date and place of measurement:

www.inter24metre.org